Color Mar	nagement	System Preferenc	es			×
Color Mar	agement:	Off	•			OK Cancel
Monitor Si	mulates:	Composite printer	-	Embed profile Manage com	es in documents nosites on printe	
New Item:	s Use:	None	•	Use extra me	mory to improve	performance
	<u>^</u>	Kodak ICC Settings Monitor:	NEC	MultiSync Gamma	1.5 Monitor	T
Kodak II		Composite printer:	SW0	P Press		•
		Separations printer:	SW0	P Press		•
		RGB Image Source:	NEC	MultiSync Gamma	1.5 Monitor	-
	C	MYK Image Source:	SW0	P Press		•
	NI Cc v1	EC MultiSync Gamma opyright (c) 1995 East I.O.	t 1.5 M tman K	onitor odak Company, A	II Rights Reserve	ed.

Configure preferences to disable PageMaker color management:

figure 1.

Disabling Color Management

- From the PageMaker menu, select: File > Preferences > General
- Select the button for CMS setup
- Select Color Management: Off
- Select **OK** to close the Color Management System Preferences dialog window
- Select **OK** to close the Preferences dialog window

Define the PageMaker Printer Style:

Prior to defining the PageMaker Printer Style, be sure that you have properly installed and configured the Sheridan virtual PostScript printer using the AdobePS Universal Printer Driver Installer. Refer to the **Sheridan Printer Installation** guidelines document appropriate for your Windows Operating System.

The **Sheridan.ppd** (PostScript Printer Description file) must be available in the PageMaker **ppd4** folder to enable Printer Style setup. Typical location is:

C:\Program Files\Adobe\PageMaker 7.0\RSRC\USENGLISH\ppd4\





figure 2. Defining a PageMaker Printer Style

From the PageMaker menu, select: File > Printer Styles > Define

figure 3. Defining a new Printer Style

Select New from the Define Printer Styles window.



Name Pri	nter Style	
Name:	Sheridan	OK Cancel

Sheridan	Cancel
	Nou
	<u>N</u> CW
	<u>E</u> dit
	<u>R</u> emove
Printer: Sheridan on FILE: • PPD: Sheridan • F Paper source: Cassette • Orientation: Tall • F Print blank pages • Crop and bleed marks on Center page • Composite • Print to disk: Norr Download fonts: PostScript and TrueType •	Paper size: Custom Pages: All ly = Scaling:100.0% hal Image data: Normal

figure 4. Naming the new Printer Style

- Enter a name (e.g., Sheridan) for the new Printer Style.
- Select OK

figure 5. Editing the Printer Style

Choose the new name (e.g., Sheridan) from the Printer Styles list and select the Edit button.

^b rint Docu	ument			
Printer:	Sheridan on FILE:		•	ОК
	1		 ∟ □ Collate	
PPD:	Sheridan	•		Cancel
- ·			Reverse	
Copies:			Proof	Decumont
Pages				Document
💿 All		Pri <u>n</u> t:	Both Pages 🔻	Paper
$O \underline{B}ar$	nges: 1	l Re	a <u>d</u> er's spreads	Op <u>t</u> ions
	ore "Non-Printing" setting	🔽 Pri	nt blank nages	
	gie non mining second		nt blan <u>it</u> pages	<u>C</u> olor
Book			Orientation	1
E Prir	nt all publications in book			reatures
	• –			
L Use	e paper settings of each publication	m		R <u>e</u> set
Pages All Bar Igny Book Prir Use	nges; [ge "Non-Printing" setting at all publications in <u>b</u> ook paper settings of each publication	Pri <u>n</u> t: Re Pri	Both Pages ader's spreads nt blank pages Drientation Drientation Drientation	Document Paper Options Color Features Reset



figure 6. Editing the Printer Style Document options

- For Printer, select Sheridan on FILE:
- For PPD, select Sheridan
- Select Copies: 1
- Clear checkboxes for Collate, Reverse and Proof
- For Pages, select the All radio button.
- Clear the checkbox for Ignore "Non-Printing" setting
- For Print, select **Both Pages** from the drop-down menu.
- Clear the checkbox for Reader's spreads
- Preserve the checkbox for Print blank pages
- Clear the checkbox for Print all publications in book
- For Orientation, select the icon for portrait.

figure 7.

Editing the Printer Style Paper options

- Select the **Paper** button.
- Paper source will default to Cassette
- Select the checkboxes for Printer's marks and for Crops and bleeds only
- Clear the checkbox for Page information
- Select the checkbox for Center page in print area
- Select tiling: None
- Select scale: 100%
- Select Paper Size: Custom



Print Paper	
Paper	0K.
Source: Ca Width: 9.5 inches OK	Cancel
Printer's Height: 12 inches	
Page inf Paper margin: 0 inches	Document
Center p Paper feed: 0 inches	Paper
Tiling Page orientation None Normal	Options
Scale	<u>C</u> olor
© 100 % C Beduce to fit (100.0%) Offset using printable area:	Features
C Thumbrails: 16 per page T:0.625 in B:0.625 in	Reset

Print Options			
TIFFs/Images			Or
<u>S</u> end image data:	Normal	-	
Da <u>t</u> a encoding:	, Send binary image data		Cancel
PostScript			<u>D</u> ocumen
D <u>o</u> wnload fonts:	PostScript and TrueType	-	<u>P</u> aper
Include PostSci	ript error <u>h</u> andler		Options
✓ Write PostScrip	t to file filename ps	Browse	<u>C</u> olor
 <u>N</u>ormal <u>E</u>PS Ear prepress 	✓ Page independence ✓ Extra image bleed		Feat <u>u</u> res
© Tot biebless			R <u>e</u> set

Print Color		
• Composite	Mirror	OK
Color	□ <u>N</u> egative	Canad
O Print colors in <u>black</u>	Preserve EPS colors	Lancel
Sep <u>a</u> rations	CMS Setup	<u>D</u> ocument
Perform on printer Print Ink	Print all jnks	<u>P</u> aper
x Process Cyan x Process Magenta	Print no in <u>k</u> s	Op <u>t</u> ions
x Process Yellow x Process Black	▲II to process	Color
Print t <u>h</u> is ink	Remove unused	Feat <u>u</u> res
Optimi <u>z</u> ed screen:	inequency. 135	
Default	Angle: 45.0	R <u>e</u> set

Print Features	
Sheridan Resolution: Printer's default	OK Cancel
	<u>D</u> ocument
	<u>P</u> aper
	Op <u>t</u> ions
	<u>C</u> olor
	Features
	R <u>e</u> set

tyle: Current1			
Sheridan			Cancel
			<u>N</u> ew
		[<u>E</u> dit
			<u>R</u> emove
Finite: Sterical of http:// Paper.source/Cassette + 0 Print blank pages • Crop an Center page • Composite • Download fonts: PostScrip	PPD: Sheridan Print orientation: Tall ■ dibleed marks o Print to disk: Nor t and TrueType	Pager Size, C Pages: All nly Scaling:1 "mal "Image data: 1	00.0% • Normal

figure 8.

The Custom Paper Size dialog window

- For Custom paper size, enter the applicable Width and Height amounts (publication trim size plus 1 inch).
- Set Paper margin and Paper feed to 0 inches.
- For Page Orientation, select the radio button for Normal

figure 9.

Configuring the Printer Style Options

- Select Options from the Print window.
- Select Send image data: Normal
- Select Data encoding: Send binary image data
- Select Download fonts: PostScript and True Type
- Select the checkbox for: Write PostScript to file
- Select the radio button: Normal
- Select the checkbox for: Page Independence

figure 10.

Editing the Printer Style Color options

- Select the **Color** button from the Print window.
- Select the **Composite** radio button.
- Select the **Color** radio button.
- Clear all checkboxes.
- Preserve Optimized screen: Default
- Preserve Frequency: 133 lpi.
- Preserve Angle: 45.0°

figure 11.

Configuring the Printer Style Features window

- Select Features from the Print window.
- Select Resolution: Printer's default
- Select OK

figure 12. Verifying the Printer Style Options

Select OK

ОК
Cancel
lumbers
numbering
inches
inches
_



Print Paper	
Paper	Save
Source: Ca Width: 7 inches OK	Cancel
Image: Weight register Image: Height register Image: Weight register Image: Height register Image: Weight register Image: Height register	Document
Page inf Paper <u>m</u> argin: 0 inches	Document
Center p Paper feed: 0 inches	Paper
Tiling Page orientation None <u>Normal</u> <u>Page orientation</u>	Op <u>t</u> ions
Scale	<u>C</u> olor
© 100 %	Feat <u>u</u> res
L:1.375 in R:1.375 in	
• Thumbnails: 16 per page T:1.125 in B:1.125 in	R <u>e</u> set

Print Options			
TIFFs/Images			C aug
<u>S</u> end image data:	Normal	-	Jave
Data encoding:	, Conditions in our data		Cancel
Data encounty.	Send binary image data		
PostScript			<u>D</u> ocument
1 outoonpt			-
D <u>o</u> wnload fonts:	PostScript and TrueType	-	Paper
Include PostScri	ipt error <u>h</u> andler		Options
☑ <u>₩</u> rite PostScript	to file: <mark>filename</mark> .ps	Browse	Color
Normal			
C cpo	🔽 Page independence		Features
$O \underline{E}PS$	Extra image bleed		
C For prepress			
			R <u>e</u> set

Creating a new PageMaker document:

figure 13.

The Document Setup window

- Select File > New from the PageMaker menu.
- Select Letter or select Custom and define a custom page size to match the specified publication trim size by entering width X height in inches into the Dimensions fields.
- Select Orientation: Tall.
- Select the checkbox for: **Double-sided**.
- Select the checkbox for: Facing pages.
- Set page margins.
- Select Target output resolution: 2400 dpi.
- Select Composite to printer: Sheridan on FILE:
- Select OK

Printing the PageMaker document:

figure 14.

Printing the document to a PostScript file

- Save the finished document.
- From the PageMaker file menu, select: File > Printer Styles > Sheridan

figure 15. Printing the document to a PostScript file

- From the Print Document window, select the Paper button
- Select Size: Custom
- For the Custom Paper Size, enter the applicable Width and Height (document size plus 1 inch to accommodate page marks)
- Select OK
- Select the **Options** button.

figure 16.

Printing the document to a PostScript file

- Select the checkbox for Page independence
- In the field for Write PostScript to file, identify a filename for the PostScript document: [filename].ps
- Select the Browse... button.
- Navigate to the folder into which the PostScript file will be saved
- Select the Save button.
- After having been returned to the Print Options dialog, again select the Save button.
- Use Acrobat Distiller configured with Sheridan settings to convert the PostScript file ([filename].ps) to PDF.

